

# भु•ना International School Shree Swaminarayan Gurukul, Zundal

## **ASSIGNMENT SA 1**

<u>Class –7</u>		<u>CH -1,2,3,4,5</u>	and 6	Sub: MATHS
Multiple Choice Questions:				[1 MARK QUESTION]
<ol> <li>The value of (-2) 2         <ul> <li>(a) 1</li> <li>(-43) X (-99) + (43)</li> <li>(a) 4300</li> <li>Reciprocal of 3 is</li> <li>(a) 2</li> </ul> </li> </ol>	X (-1) X (1) i (b) 3 3) is equal to (b) -4300	s (c) -4 (c) -42	14	(d) 2 (d) 4257
(a) -3 4. The mode of the	(b) 1/3 given data 22	(c) 4 22,29,27,23,43,41,27 is		(d) none
(a) 23	(b) 27	(c) 2	22	(d) none
5. The absolute value	of   - 23   is			2.1
(A) - 23	(B) 23	(C)	0	(D) None
6. The smallest prime	e number is			
(A) 0	(B) 2	(C)	1	(D) None
. 7. The smallest who	le number is			
(A) 0	(B) <mark>2</mark>	(C)	1	(D) None
8. Value of [ (-6) + 2	2]÷ (2) is	0		1 1 1 1 1
(A) -2	(B) 2	(C)	1/2	(D) None
9. Value of (-10) X (	(-5) + (-7) is			
(A) 40	(B) 43	(C)	-43	(D) 23
10. The reciprocal o	f 2/7 is			
(A) 7/2	(B) 1/7	(C	) 7/2	(D) -2/7
11. How many piece	es of 13.2 cm	can be cut from	a 330 c	m long rod?
(A) 25	(B) 28	(C)	21	(D) 35
12. The median of th	e data 2, 16, 2	29, 88, 49, 99, 16	5, 4, 37	is
(A) 16 13. If mean of 6 obs	(B) 29 ervations is 4	(C), then their sum	99 is	(D) 88

	<ul><li>(A) 20</li><li>14. If a and b are po</li><li>(A) Positive noise</li></ul>	(B) 22 sitive integers, the	(C) 24 en the solution of the e	(D) 26 equation $ax = b$ will always be a tive number	
	(C) 1 15. If $7x + 4 = 39$ , th	ien x is equal to	(D) 1(cgal (D) 0		
	(A) 6 16 If $k + 2 = 6$ then	(B) 5 the value of $4k + $	(C) 8 - 12 is equal to	(D) -4	
	(A) 16	(B) -12	(C) 28	(D) -30	
	17. The angle which (A) 122 <sup>0</sup>	n makes a linear pa (B) 123 <sup>0</sup>	air with an angle of 58 (C) 119 <sup>0</sup>	<sup>0</sup> is of (D) 69 <sup>0</sup>	
	18. If two suppleme	ntary angle are in	the ratio of 1:2, then t	he bigger angle is	
	(A) 120 <sup>0</sup>	(B) 125 <sup>0</sup>	(C) $110^{0}$	(D) 90 <sup>0</sup>	
	19. The sides of a tr	iangle have length	n (in cm) 10, 6. <mark>5</mark> and a	, where a is a whole number.	
	The minimum val (A) 6	ue that a can take i (B) 5	is (C) 3	(D) 4	
ang	20. If the exterior an the is	ngle of a triangle is	s 130 <sup>0</sup> a <mark>nd its</mark> interior	angle is equal, then measure of each ir	nterior
	(				
	(A) $55^{\circ}$	<b>(B)</b>	65 <sup>0</sup> (C) 6	$(D) 50^{0}$	
Fil	<ul> <li>(A) 55°</li> <li>I the blank:</li> <li>1. The range of the data</li> </ul>	<b>(B)</b> .ta 21, 23,45,15,17	65° (C) 6	60 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	<ul> <li>(A) 55°</li> <li><b>I the blank:</b></li> <li>1. The range of the da</li> <li>2. The mean of the da</li> </ul>	<b>(B)</b> .ta 21, 23,45,15,17 ta 3,6,9,10,12 is _	65° (C) 6	50 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the da 2. The mean of the da 3. $\frac{3}{4}$ of 27 is	( <b>B</b> ) ta 21, 23,45,15,17 ta 3,6,9,10,12 is _	65° (C) 6	50 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the da 2. The mean of the da 3. $\frac{3}{4}$ of 27 is 4. $4 \ge 6\frac{1}{3}$ is equal to	( <b>B</b> ) 1ta 21, 23,45,15,17 1ta 3,6,9,10,12 is _	65° (C) 6	(D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the da 2. The mean of the da 3. $\frac{3}{4}$ of 27 is 4. $4 \ge 6\frac{1}{3}$ is equal to 5. The lowest term of	(B) ta 21, 23,45,15,17 ta 3,6,9,10,12 is the product $2\frac{3}{7} \times \frac{7}{9}$	65° (C) 6	50 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the da 2. The mean of the da 3. $\frac{3}{4}$ of 27 is 4. $4 \ge 6\frac{1}{3}$ is equal to 5. The lowest term of $6.\frac{4}{5} \div 4$ is equal to	( <b>B</b> ) ta 21, 23,45,15,17 ta 3,6,9,10,12 is the product $2\frac{3}{7} \times \frac{7}{9}$	65° (C) 6	50 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the da 2. The mean of the da 3. $\frac{3}{4}$ of 27 is 4. $4 \ge 6\frac{1}{3}$ is equal to 5. The lowest term of 6. $\frac{4}{5} \div 4$ is equal to 7. 25.4 X 1000 =	(B) tta 21, 23,45,15,17 tta 3,6,9,10,12 is the product $2\frac{3}{7} \times \frac{7}{9}$	65° (C) 6	(D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) 55 <sup>o</sup> <b>I the blank:</b> 1. The range of the data 2. The mean of the data 3. $\frac{3}{4}$ of 27 is 4. 4 x 6 $\frac{1}{3}$ is equal to 5. The lowest term of 6. $\frac{4}{5} \div 4$ is equal to 7. 25.4 X 1000 = 8. 25.4 $\div$ 20 =	(B) ta 21, 23,45,15,17 ta 3,6,9,10,12 is the product $2\frac{3}{7} \times \frac{7}{9}$	65° (C) 6	50 <sup>0</sup> (D) 50 <sup>0</sup> [1 MARK QUESTION]	
Fil	(A) $55^{\circ}$ <b>I the blank:</b> 1. The range of the data 2. The mean of the data 3. $\frac{3}{4}$ of 27 is 4. $4 \ge 6\frac{1}{3}$ is equal to 5. The lowest term of 6. $\frac{4}{5} \div 4$ is equal to 7. 25.4 X 1000 = 8. 25.4 $\div$ 20 = 9. If we multiply	(B) ta 21, 23,45,15,17 ta 3,6,9,10,12 is the product $2\frac{3}{7} \times \frac{7}{9}$	65° (C) 6	(D) 50 <sup>0</sup> [1 MARK QUESTION]	

11. (-9) X	20 =				
12. (- 43) -	+	=(-43)			
13. If 3 – x	= - 4, then x	=			
14. If x – 1	/2 = 3/2 the	n x =	-		
15. If sum	of measure c	of two angles is 90	<sup>0</sup> , then the angle	are	
16. If sum	of measure of	of two angles is 18	$0^0$ , then the angl	e are	
17. Sum of a	interior angle	es on the same side	e of a transversa	l is	
18. The sup	plement of a	right angle is alwa	iys		1. N.
19. Measure	es of each of	the angles of an ec	uilateral triangl	e is	
20. Median	is also called	lin	an equilateral tri	angle	
1.2					
Answer :		- N.			1 A M
1. <b>30</b>	2	2. 8	3. <b>20.25</b>	4. 25.33	5 <b>. 1.89</b>
6. <b>1</b> /	5	7. <b>25,400</b>	8. 1.27	9. Even	10. Positive
11 <b>18</b> 0	)	12 <b>. 1</b>	13. <b>-7</b>	14. <b>2</b>	15. complementary
16 <mark>. Sup</mark>	plementary	17 <b>. 180</b> 0	18 <b>. Right</b>	19. <b>60</b> <sup>0</sup>	20. <b>altitude</b>
Tell whe	ether the st	tatement is tru	e or false:	1	[1 MARK QUESTION]
	1. The mod	e is always one of	the numbers in	a data. (TRUE)	
	2. The mean	n is one of the nun	bers in a data	(FALSE)	
	3. The med	ian is always one o	of the numbers i	n a data (TRUE)	
4. The data 6, 4, 3, 8, 9, 12, 13, 9 has mean 9. (FALSE)					
5. Product of two negative integers is a negative integer. (FALSE)					
	6. Product of	of three negative in	ntegers is a nega	tive integer. (Th	RUE)
	7.4-(-7)	is same as $4+7$	(TRUE)		
	8. The recip	procal of 4/7 is 4/7	. (FALSE)		

9. 1 is only number which has its own reciprocal.	(FALSE)
10. The reciprocal of a proper fraction is a proper fraction.	(FALSE)
11. 6 is solution of the equation $4x + 3 = 15$ . (FAL	SE)
12. If $x - 7/8 = 7/8$ , then $x = 7/4$ (TRUE)	
13. If $4x - 7 = 11$ , then $x = 4$ . (FALSE)	
14. Two right angles are complementary to each other.	(TRUE)
15. One obtuse and one acute angle can make a pair of comp	blementary angles (FALSE)
16. An angle is more then 45 <sup>0</sup> , its complementary angle mus	t be less than 45 <sup>0</sup> . (TRUE)
17. Vertically opposite angles are either both acute angle or	both obtuse angles. (TRUE)
18. Sum of any two angles of triangle is always greater than	the third angle. (FALSE)
19. Sum of the measure of three angles of a triangle is $180^{\circ}$	(TRUE)
20. It is possible to have a triangle in which each angle is less	ss than 60 <sup>0</sup> (FALSE)
Solve: Each carry one mark: 1. The small counting number. Ans. 1	[1 MARK QUESTION]
<ol> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) = Ans. (- 3)</li> </ol>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> </ul>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> <li>Ans. (- 630)</li> </ul>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> <li>Ans. (- 630)</li> <li>7. For any integer, what is (-1) X a equal to?</li> </ul>	
<ul> <li>2. The opposite of - 5/2.</li> <li>Ans. 5/2</li> <li>3. The greater negative number.</li> <li>Ans1</li> <li>4. The smallest positive integer.</li> <li>Ans. 1</li> <li>5. 3 X (-1) =</li></ul>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> <li>Ans. (- 630)</li> <li>7. For any integer, what is (-1) X a equal to? Ans. (- X)</li> <li>8 (-3) X = 27</li> </ul>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> <li>Ans. (- 630)</li> <li>7. For any integer, what is (-1) X a equal to? Ans. (- X)</li> <li>8 (-3) X = 27 Ans. (-9)</li> </ul>	
<ul> <li>2. The opposite of - 5/2. Ans. 5/2</li> <li>3. The greater negative number. Ans1</li> <li>4. The smallest positive integer. Ans. 1</li> <li>5. 3 X (-1) =</li> <li>Ans. (- 3)</li> <li>6. (-21) X (30)</li> <li>Ans. (- 630)</li> <li>7. For any integer, what is (-1) X a equal to? Ans. (- 50)</li> <li>7. For any integer, what is (-1) X a equal to? Ans. (- X)</li> <li>8 (-3) X = 27 Ans. (-9)</li> <li>9. 5 X = -35</li> </ul>	

Ans. (-7) 10. \_\_\_\_\_ X (-8) = -56 Ans. 7 11. X(-12) = 132Ans. ( - 11) 12. Write equation for: The sum of number x and 5 is 9 Ans. x + 5 = 913. Write equation for: 2 subtracted from y is 6 Ans. y - 2 = 614. Ten times a is 90. Ans. 10a = 90 15. Three – fourth of m is 14. Ans. 3m / 4 = 14(iii) 55<sup>0</sup> 16. Find complementary angle. (i)  $30^{\circ}$ (ii)  $50^{\circ}$ Ans. (i)  $60^{\circ}$ (ii)  $40^{\circ}$  (iii)  $35^{\circ}$ (ii)  $150^{\circ}$ (iii)  $55^{0}$ 17. Find the supplementary angle. (i)  $130^{\circ}$ Ans. (i)  $50^{\circ}$ (ii)  $30^{\circ}$ (iii)  $125^{\circ}$ 18. Find the product  $\frac{3}{7}$  X 4 Ans.  $\frac{12}{7}$  or  $1\frac{5}{7}$ 19. Find :  $2 \div \frac{8}{9}$ Ans. 2 x  $\frac{9}{8} = \frac{18}{8} = \frac{9x^2}{4x^2} = 9/4 = 2\frac{1}{4}$ 20. find the mode of 4, 5, 4, 7, 12, 4, 8 and 5. Ans. 4 Solve: Each carry two marks 1. Solve: (i) 2 - 3/5(ii) 3/5 + 2/72. Find: (i)  $\frac{1}{2}$  0f 46 (ii) 2/3 of 18

3. Multiply: (i)  $3 \ge 5\frac{1}{5}$  (ii)  $7 \ge 2\frac{1}{4}$ 

4. Find the mean of first five whole numbers

5. Amit scores the following runs in eight innings: 58, 76, 40, 35, 46, 45, 0, and 100. Find mean score.

6. Write down a pair of integers whose: (i) sum is -7 (ii) difference is -10 (iii) sum is 0

7. Verify the following (i) 18 X [7 + (-3)] = [18 X 7] + [18 X (-3)]

8. Express 5 cm in metre and kilometre

9. Write statement for the following equation:

(i) 
$$P + 4 = 15$$
 (ii)  $m - 7 = 3$  (iii)  $2 m = 7$  (iv)  $m/5 = 3$  (v)  $p/2 + 2 = 8$ 

10. Solve:(i) x - 10 = 0(ii) b/2 = 6(iii) 5m + 7 = 1711. Find the angle which is equal to its complement.

12. Find the angle which is equal to its supplementary.

13. Find the complement of each of the following angles:

- (i)  $20^0$ (ii)  $63^0$ (iii)  $57^0$ (iv)  $44^0$ 14. Find supplement of each of the following angles:(i)  $120^0$ (ii)  $105^0$ (iii)  $87^0$ (iv)  $154^0$
- 15.

In  $\Delta$  PQR, D is the mid-point of QR. PM is \_\_\_\_\_ PD is \_\_\_\_\_ Is QM = MR ?



16. Find the value of the unknown exterior angle x in the following diagrams:





5.

#### : The rainfall (in mm) in a city on 7 days of a certain week was recorded as follows:

Days	Rain fall (in mm)
Monday	0.0
Tuesday	12.2
Wednesday	2.1
Thursday	0.0
Friday	20.5
Saturday	5.5
Sunday	1.0

(i) Find the range of the rainfall in the above data.

(ii) Find the mean rainfall for the week.

(iii) On how many days was the rainfall less than the mean rainfall.

6.

: The weights (in kg.) of 15 students of a class are:

38, 42, 35, 37, 45, 50, 32, 43, 43, 40, 36, 38, 43, 38, 47

(i) Find the mode and median of this data.

(ii) Is there more than one mode?

1. The runs scored in a cricket match by, 11 players is as follows:

6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15. Find mean, mode and median of this data 2. A car covers a distance of 89.1 km in 2.2 hours. What is the average distance covered by it in 1 hour?

#### PAPER FORMAT

OUESTION 1

QUESTION I		
(i) Multiple Choice Quest	ions: [1 MARKS QUESTION]	[1 X 10 = 10]
(ii) Fill the blank:	[1 MARKS QUESTION]	[1 X 10 = 10]
(iii) Tell whether the state	ment is true or false: [1 MARKS QUESTION]	[1 X 10 = 10]

(iv) Solve: Each carry one mark: [1 MARKS QUESTION]

## **QUESTION 2**

Solve: Each carry two marks (Any six)

**QUESTION 3** 

Solve: Each carry three marks (Any four)

### **QUESTION 4**

Solve: Each carry four marks (Any three)



[1 X 10 = 10]

[3 X 4 = 12]

[4 X 3 = 12]